PRODUCT DATA SHEET

Page: 1 / 2 Revised edition no: 3

Wetrok Mepol HX

Date: 8/5/2006

Supersedes: 30/6/2005

IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Trade name : Wetrok Mepol HX

Type of product : Self-shining dispersion

Use : Industrial. For professional use only.

Emergency phone no. : Toxikologisches Informationszentrum: +41 44 251 51 51 (Notfall Tel. 145)

PRODUCT DESCRIPTION

Pictogram

Close product type

Product description

: Self-shining dispersion

: Highly polished. Mainly resistant to hand disinfectants containing alcohol. Specially suitable for high anti-slip properties (tested according to DIN 18032 / ETS Norm

suitable for high anti-slip properties (tested according to DIN 18032 / ETS Norm 203). Forms a polishable, water resistant dirt/protection film. The water vapour diffusion remains guaranteed. Based on polymer/wax.

Field of use : For treatment of hard and elastic floor coverings (PVC , linoleum , natural and

artificial stones, etc.). Not suitable for outside, wet zones.

Article-No. / sales unit : 17.190 : 10 | canister

DIRECTIONS FOR USE

Dosage : Undiluted, ready to use.

Use : Protective treatment : Clean floor covering thoroughly. The floor must be clean, free

from old coatings and dry, before treatment. Wetrok Mepol HX apply in sections and spread evenly using the applicator. 2 - 3 thin application. Allow to dry for approx 60 minutes between coats. Polish with soft pad when completely hard (2-3)

days), if necessary. (Wetrok Bluelce-Pad) .

Usage : 20 - 30 g/m² per coat

Further information: Shake well before use. Treat porous floor coverings with Wetrok Porosol before

handling. Read product sheet and safety sheet before using. The manufacturer is

not liable for damages arising from misuse.

PRODUCT INFORMATION

WGK class (Germany)

Waste code (259/93/EWG) : 08 01 19: Aqueous suspensions containing paint or varnish with organic solvents or

other hazardous substances.

Industrial waste number (ÖNorm

S2100)

: 55508: Coating material if containing solvents and/or heavy metals and/or biocides

as well as not fully hardened residues in containers.

UBA-No. (Germany) : 06100079

PHYSICAL AND CHEMICAL PROPERTIES

Physical state at 20 °C : Liquid.
Colour : White.

 Odour
 : Characteristic.

 pH-value
 : 8.0 - 9.0

 Density [g/cm3]
 : 1.020-1.030

Solubility in water : The material disperses in water.

Flash point [°C] : Not applicable.



PRODUCT DATA SHEET

Wetrok Mepol HX

Page : 2 / 2

Revised edition no : 3

Date: 8/5/2006

Supersedes: 30/6/2005

REGULATORY INFORMATION

Symbol(s) : None.

R-Phrases : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

S-phrases : Do not empty into drains ; dispose of this material and its container in a safe way. -

Do not empty into drains, dispose of this material and its container to hazardous or special waste collection point. - Refer to manufacturer/supplier for information on recovery/recycling. - Avoid release to the environment. Refer to special

instructions/Safety data sheets.

HANDLING AND STORAGE

Storage : Keep only in the original container in a cool, well ventilated place.

Protect from frost. Keep container closed when not in use.

Storage life : 24
GISBAU code : GE10

OTHER INFORMATION

Revision: Changes in the text compared to former version are indicated with *.

WMEHXK003

Prepared by : Alexander Kreuzer

Wetrok Regulatory Affairs

Disclaimer of liability: We have drawn upon sources, which we consider reliable, for the information contained in this document. The correctness of the information is not guaranteed. The conditions or methods of use, storage, handling or disposal of this product are outside our control. For this reason, we assume no responsibility, and expressly deny any liability for loss, damages or expenses that could result from handling, storage, usage or disposal of the product. This document was prepared for this product and may only be used with it.

End of document

