


## Wetrok Mepol 2000

Date : 9/5/2006  
Supersedes : 26/10/2005

### IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Trade name** : **Wetrok Mepol 2000**  
**Product code** : G1  
**Type of product** : Self-shining dispersion  
**Use** : Industrial. For professional use only.  
**Emergency phone no.** : Toxikologisches Informationszentrum: +41 44 251 51 51 (Notfall Tel. 145)

### PRODUCT DESCRIPTION

**Pictogram** 

**Close product type** : **Self-shining dispersion**  
**Product description** : Silk/high gloss. Free of metal salt and flour polymer (environment friendly). Forms a polishable, water resistant dirt/protection film. The water vapour diffusion remains guaranteed. Based on polymer/wax.  
**Field of use** : For treatment of hard and elastic floor coverings ( PVC , linoleum , natural and artificial stones , etc. ) . Not suitable for outside , wet zones .  
**Article-No. / sales unit** : 17.110 : 10 l canister

### DIRECTIONS FOR USE

**Dosage** : Undiluted, ready to use.  
**Use** : Protective treatment : Clean floor covering thoroughly. The floor must be clean, free from old coatings and dry, before treatment. Wetrok Mepol 2000 apply in sections and spread evenly using the applicator. 2 - 3 thin application . Allow to dry for approx 60 minutes between coats. Polish with soft pad when completely hard (2-3 days), if necessary.  
**Usage** : 20 - 30 g/m<sup>2</sup> per coat  
**Further information** : Shake well before use. Treat porous floor coverings with Wetrok Porosol before handling. Read product sheet and safety sheet before using. The manufacturer is not liable for damages arising from misuse.

### PRODUCT INFORMATION

**WGK class (Germany)** : 1  
**Waste code (259/93/EWG)** : 08 01 19: Aqueous suspensions containing paint or varnish with organic solvents or other hazardous substances.  
**Industrial waste number (ÖNorm S2100)** : 55508: Coating material if containing solvents and/or heavy metals and/or biocides as well as not fully hardened residues in containers.  
**UBA-No. (Germany)** : 06100081

### PHYSICAL AND CHEMICAL PROPERTIES

**Physical state at 20 °C** : Liquid.  
**Colour** : White.  
**Odour** : Characteristic.  
**pH-value** : 7.0 - 8.0  
**Density [g/cm<sup>3</sup>]** : 1.020-1.030  
**Solubility in water** : The material disperses in water.  
**Flash point [°C]** : Not applicable.

## Wetrok Mepol 2000

Date : 9/5/2006  
Supersedes : 26/10/2005

---

### REGULATORY INFORMATION

**Symbol(s)** : None.  
**S-phrases** : None.  
**Further phrases** : Safety data sheet available for professional user on request.

---

### HANDLING AND STORAGE

**Storage** : Keep only in the original container in a cool, well ventilated place.  
Protect from frost. Keep container closed when not in use.  
**Storage life** : 24  
**GISBAU code** : GE10

---

### OTHER INFORMATION

**Revision** : Changes in the text compared to former version are indicated with \*.  
WME2KK002  
**Prepared by** : Alexander Kreuzer  
Wetrok Regulatory Affairs

---

Disclaimer of liability: We have drawn upon sources, which we consider reliable, for the information contained in this document. The correctness of the information is not guaranteed. The conditions or methods of use, storage, handling or disposal of this product are outside our control. For this reason, we assume no responsibility, and expressly deny any liability for loss, damages or expenses that could result from handling, storage, usage or disposal of the product. This document was prepared for this product and may only be used with it.

---

End of document